5

## WHAT IS CLAIMED IS:

1. A collar mounted animal control device for controlling the behavior of an animal, comprising:

entra transferi (1936), las en la segui de mercio, a personato de la segui de la segui de la proposició de la Consensación de la composición de la c

a pressure pulse generator carried by the collar, said pressure pulse generator including a probe adapted to mechanically contact and generate a pressure pulse against the skin of the animal; and

a controller coupled with said pressure pulse generator for controlling selective application of the pressure pulse.

- 2. The animal control device of claim 1, wherein said probe includes a tip which selectively and intermittently extends from said probe.
- 3. The animal control device of claim 2, wherein said pressure pulse generator includes a pneumatic actuator associated with said tip for causing said intermittent extension of said tip, said controller controlling operation of said pneumatic actuator.
- 4. The animal control device of claim 3, wherein said pneumatic actuator includes an impactor slidably disposed within a guide tube, said tip being disposed at an end of said guide tube, said impactor impinging upon said tip to cause said intermittent extension of said tip.
- 5. The animal control device of claim 4, further comprising a vent hole to ambient, said vent hole being in communication with said guide tube adjacent said end of said guide tube.
- 6. The animal control device of claim 4, further comprising a spring biasing said tip to a retracted position.
- 7. The animal control device of claim 3, further comprising an air source and a valve operatively coupling said air source with said pneumatic actuator.

H

C) ٠...

9. A collar mounted animal control device adapted to be in contact with the skin of an animal, said animal control device comprising:

pressure pulse means carried by the collar for generating the pressure pulse; and a controller operatively associated with said pressure pulse means for selectively generating a pressure pulse.

10. The animal control device of claim 9, wherein said pressure pulse means comprises a probe which is adapted to be in contact with the skin of the animal.

- 11. The animal control device of claim 9, whereby said pressure pulse means is adjustable to vary an intensity of said pressure pulse.
- 12. The animal control device of claim 9, wherein said pressure pulse means comprises a probe in contact with the animal's skin through which said probe transfers the pressure pulse to the skin of the animal.
- 13. The animal control device of claim 9, wherein said controller controls an amplitude of said pressure pulse.
- 14. The animal control device of claim 9, further comprising a receiver operatively associated with said controller.
- 15. The animal control device of claim 14, wherein said receiver is a radio frequency receiver.
- 16. The animal control/device of claim 14, further comprising a transmitter operatively associated with said controller.
  - 17. The animal control device of claim 16, wherein said transmitter is a handheld remote.

IPP0034.US

13

5

wired.

18. The animal control device of claim 19 herein said transmitter comprises a buried

Smp 63.

19. A method of providing animal control, comprising the steps of

applying a pressure pulse wave generating collar to an animal;

monitoring the animal;

identifying undesirable behavior from monitoring the animal; and

directing a pressure pulse wave to the skin of the animal when undesirable behavior is

detected.

- 20. The method of claim 19, wherein said monitoring step comprises visually observing the animal.
  - 21. The method of claim 19, wherein said monitoring step comprises utilizing a sensor.
  - 22. The method of claim 21, wherein the sensor mornitors barking.
  - 23. The method of claim 21, wherein the sensor mornitors animal location.
- 24. The method of claim 19, wherein said step of directing a pressure pulse further comprises transmitting a pressure pulse signal from a remote source to the collar.
- 25. The animal control method of claim 19, further comprising the step of selecting an intensity of the pressure pulse wave intensity directed to the skin of the animal.